




DAIKIN AURORA

New Drain Pan Heater



DAIKIN AURORA WALL-MOUNTED HEAT PUMP

Now with factory installed Drain Pan Heater



UP TO 21.0 SEER2 / UP TO 10.5 HSPF2 / UP TO 12.2 EER2

The air today feels just right — amazing temperature, ideal humidity, and freshness — like right after it rains. But what makes it even better is that this ideal air is happening indoors. Inside your space. Inside, where we spend most of our time — working, playing, sleeping, living.

At Daikin, we're committed to making the air inside just as refreshing as the air outside. With Daikin efficiency, quality, and control, you can create your own ideal indoor environment. So, every day feels perfect, inside, and out.

Perfecting The Air We Share.



At Daikin, comfort is just the beginning.

A better understanding of how people inhabit their living spaces has led to products designed to create indoor environments that help use energy resources effectively. Heat pumps extract or reject heat from the outside air, even in cold weather. They use an electrically powered compressor and are extremely effective at heating and

cooling an apartment or a house. Daikin heat pumps are quiet and discreet, and use state-of-the-art technology designed to keep your energy bills low. With a Daikin heat pump, heat is transferred from outside or inside the home to heat or cool the space.



Daikin *AURORA* Wall-Mounted Heat Pump INDOOR UNITS

Comfort

We offer a wide range of products, and strive to provide you with the ideal solution, whether for an apartment, condo or a house. Our *AURORA* units are whisper quiet and, with their specially designed airflow pattern, they create your ideal indoor climate.

Daikin *AURORA* units are designed to include features that let you create your own indoor ecosystem. From the wide angle louver design to the auto-swing and comfortable mode controller settings, effective heating and cooling can be provided throughout the space.

Smart inverter technology



Integrated with an inverter (variable-speed) compressor, Daikin *AURORA* systems

deliver the capacity required to maintain desired room conditions. This technology is designed to prevent temperature fluctuations and provides continuous cooling and heating comfort.

Control

Our expertise makes life easier for you, allowing you to control your system via a user-friendly remote control. Built in Wi-Fi allows you to control the unit from across the room — or across the world.

Energy efficiency

Our products are energy efficiency and designed for low energy bills.

Reliability

Daikin products are renowned for their reliability. And you can rely on outstanding limited warranties* to match.



* Complete warranty available from your local dealer or at www.daikincomfort.com. To receive 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. The duration of warranty coverage may depend on the state in which you reside. Some states and provinces do not allow warranty coverage to be conditioned on registration. For a list of states and provinces that do not allow warranty coverage to be conditioned on registration, please visit www.daikincomfort.com/warranty-information or, to request a paper copy of this information, please call us at 1-855-502-3903. Other limitations and exclusions apply, refer to complete warranty details for full list of limitations and exclusions.

Daikin *AURORA* Wall-Mounted Heat Pumps

Daikin *AURORA* Wall-Mounted heat pumps are a great solution to provide heat when it gets really cold or cooling when it gets really hot. With up to 100% heating performance to 0°F and 100% cooling capacity to 115°F, Daikin *AURORA* is designed to take care of your home in any condition. Enhanced capacity and comfort are now combined with control from your phone with built in Wi-Fi on each indoor unit. The optional factory installed drain pan heater keeps the system running effectively even in extreme cold. Come home to a comfortable home with Daikin *AURORA* Wall-Mounted heat pumps.



Efficiency and Comfort:

Energy Efficient –

Up to 21 SEER2 / Up to 10.5 HSPF2 / Up to 12.2 EER2 for efficient cooling and heating operation and reduced energy consumption compared to conventional lower-efficiency systems.

Cooling Range: -4°F – 115°F*

Heating Range: -13°F – 60°F

* Refer to installation manual for Facilities Mode setting




Ideal solution for:

- » Renovations, remodeling and new construction
- » A great alternative to noisy and inefficient window or through-the-wall AC units
- » Sun rooms, basements, attics, garages, hot or cold spaces, and more
- » Rooms where floor space comes at a premium or is not available for other application
- » Ceiling void or attic does not allow for a viable duct run option

Simple and efficient:

Wall-mounted units are simple to install. The flexible design blends discretely with any home décor and is ideal for single room enhancements, spaces requiring additional heating or cooling, and additions. The air direction and flow rate are adjusted so that the air will not blow directly at people in the room.





Innovative technology:



Outdoor unit features:



Anti-Corrosion Treatment on Heat Exchanger – provides a hydrophilic coating to help keep the outdoor unit coil clean with rain or a simple rinse. This can help protect the unit and efficiency of the system for years to come.



Drain Pain Heater – This heater prevents ice from building up in cold, humid climates, helping the system to continue running effectively even in low-ambient conditions.

Indoor unit features:



Powerful Operation – Pushing the POWERFUL button on the remote control gives you a boost in cooling or heating power for a 20-minute period, even if the unit is already operating at high capacity.



Econo Mode – Limits the maximum operating current and power consumption of the outdoor unit by approximately 30% during start-up. This is designed for energy efficiency and to manage the load on the electrical circuit when multiple electrical devices are used simultaneously.



Experience ultimate climate control with the new Wi-Fi inside functionality. This built-in technology helps enhance your living space with comfort control, from the palm of your hand, wherever you are.



Titanium Apatite Photocatalytic Filter – This filter combines advanced filtration and a titanium apatite photocatalytic deodorizing technology in a single unit.

Knowledge is power

The new minimum efficiency standards are based upon new metrics (SEER2/EER2/HSPF2) derived from a new test procedure (M1) rather than the historical metrics (SEER/EER/HSPF) from the old test procedure (M). Testing procedures and requirements for developing efficiency ratings will now be more stringent with the new 2023 DOE regulations. The prior M testing procedure is being replaced by the M1 testing procedure for 2023 compliance.

Why is COP important?

The COP of a heat pump is the ratio of:

$$\text{COP} = \frac{\text{energy out}}{\text{energy in}}$$

When the COP is >1, the result is a system providing more heating energy than energy consumed. As the COP increases, the higher the efficiency — resulting in lower utility costs.

Up to 21 SEER2	Up to 12.2 EER2
Up to 10.5 HSPF2	Up to 1.8 COP@5°F (Coefficient of Performance)


Daikin AURORA Outdoor Units
Efficiency Ratings

COP	Oil 0.85	Natural Gas 0.95	Electricity 1.00	Daikin AURORA Up to 1.8 (Outdoor units)
------------	--------------------	----------------------------	----------------------------	--




Take comfort in your decision.

NEW R-32 INDOOR AND OUTDOOR UNITS



Comfort without compromise:

Daikin *AURORA* Wall-Mounted heat pumps are a great solution to provide heat when it gets really cold or cooling when it gets really hot. With 100% heating performance to 0°F and 100% cooling capacity to 115°F, Daikin *AURORA* can take care of your home comfort year-round. Efficiency and comfort are now combined with control from your phone with built in Wi-Fi on each indoor unit. Come home to a comfortable home with Daikin *AURORA* Wall-Mounted heat pumps.



Learn more about the benefits of Daikin Inverter technology:

www.daikincomfort.com/go/inverter/



The right choice to replace R-410A.

Proven. Easy. Available. Efficient.

Step into the future of home comfort with Daikin's line of residential products. As a global leader in air conditioning, Daikin is committed to innovation that enhances your home comfort with the use of low global warming potential (GWP) R-32 refrigerant. Our new R-32 products have been designed to meet efficiency, reliability, and comfort needs, while helping reduce impact on the environment with a lower GWP refrigerant compared to R-410A.

- » **Innovation:** With R-32's lower global warming potential (compared to previous R-410A) you can reduce your impact on the environment while enjoying outstanding cooling and heating at home.
- » **Efficiency:** Daikin's use of R-32 refrigerant and our game-changing inverter technology is designed to provide energy efficiency for low utility bills and energy consumption.
- » **Durability:** Daikin's legacy of over 100 years ensures each product is built to last, delivering reliable performance and comfort year after year.

- » **Intelligent:** Many Daikin systems integrate with smart home technologies, making it easy to control and optimize your home's climate. Additionally, for homeowners who want to step their indoor comfort up even more, ask about the Daikin systems that connect to the Daikin *ONE* thermostats, *SkyportCare*, and how to address other indoor air quality concerns.
- » **Peace of Mind:** Confident in our quality, Daikin offers robust limited warranties*, ensuring your investment brings long-term comfort and peace of mind.



Aligning with Goals of:

- » **Lower GWP refrigerant — reduce impact at the source:** Utilizing a refrigerant with lower Global Warming Potential (GWP) compared to conventional refrigerants, like R-410A.
- » **Sustainability:** Easy to top off, or clean and reuse on-site and easy to reclaim.

* Complete warranty details are available from your local dealer/contractor or at www.daikincomfort.com



CONTROLS



From anywhere in the world. Or your living room.

It can happen to anyone. You forgot to change the temperature of your heat pump system or air conditioner before leaving the house, or you will be delayed returning home and wish to avoid needlessly heating or cooling your home. What in the past would have resulted in wasted energy is no longer a problem. With the *SkyportHome* App, you are always in control. You can use your tablet or smart-phone to access your Daikin system via the internet.





Daikin *ONE+* Smart Thermostat

The Daikin *ONE+* smart thermostat is available for single and multi-zone indoor unit models.

With the new translation adaptor, connecting the Daikin *ONE+* smart thermostat provides several user features including remote monitoring, control and geofencing using the *SkyportHome* app, Google, and Amazon voice assistants.



Daikin *ONE* Touch Smart Thermostat

A great control option for Daikin single and multi-zone systems. With customizable settings and the power to wirelessly control the system from anywhere, homeowners may never want

to change their thermostat manually again. However, the touchscreen interface supports a user-friendly experience when they do. Voice control is also possible with compatible Amazon and Google devices. The Daikin *ONE* touch smart thermostat is also compatible with the *SkyportHome* app.



Daikin *ONE* Lite connected thermostat

The Daikin *ONE* Lite connected thermostat is a perfect solution for Daikin single and multi-zone products when a wall-mounted smart thermostat is needed. The Daikin *ONE* Lite connected thermostat is compatible with most Daikin single and multi-zone systems and can be linked via Wi-Fi to the *SkyportHome* app for control.



BUILD YOUR SYSTEM | DISCOVER REBATES | FIND A CONTRACTOR | LEARN MORE ABOUT DAIKIN:

www.daikincomfort.com



Daikin *AURORA* Wall-Mounted Heat Pumps – *AURORA* pair (with Drain Pan Heater)

Unit Size	Indoor Unit Model # / Dimensions (HxWxD) / Rated Cooling Capacity	Outdoor Unit Model # / Dimensions (HxWxD) / Rated Heating Capacity @ 47F	Efficiency Rating / 5F Heating Capacity / COP@5F	Lowest Sound Level (dB(A))		Weight (lbs)		AHRI #
				Indoor*	Outdoor	Indoor	Outdoor	
9,000	FTXV09AVJU* 11-1/4 x 30-5/16 x 8-3/4 9000	RXTH09AVJU* 21-15/16 x 26-9/16 x 11-3/16 10900	21 SEER2 / 12.2 EER2 / 10.2 HSPF2 / 1.8 COP 10900	19	49	19	66	218713986
12,000	FTXV12AVJU* 11-1/4 x 30-5/16 x 8-3/4 10600	RXTH12AVJU* 21-15/16 x 26-9/16 x 11-3/16 13500	20 SEER2 / 11.3 EER2 / 10.2 HSPF2 / 1.8 COP 13500	19	50	19	74	218672388
15,000	FTXV15AVJU* 11-5/8 x 39 x 10-3/8 15000	RXTH15AVJU* 29-1/2 x 34-1/4 x 12-5/8 18300	21 SEER2 / 12.2 EER2 / 10.5 HSPF2 / 1.8 COP 18300	33	52	27	116	218672389
18,000	FTXV18AVJU* 11-5/8 x 39 x 10-3/8 18000	RXTH18AVJU* 29-1/2 x 34-1/4 x 12-5/8 21600	21 SEER2 / 12 EER2 / 9.4 HSPF2 / 1.8 COP 21600	33	55	27	130	218672390
24,000	FTXV24AVJU* 11-5/8 x 39 x 10-3/8 22400	RXTH24AVJU* 29-1/2 x 34-1/4 x 12-5/8 24000	21 SEER2 / 12 EER2 / 9.6 HSPF2 / 1.8 COP 24000	34	55	27	130	218713987

*When quiet operation is engaged

Daikin *AURORA* Wall-Mounted Heat Pumps – *AURORA* pair (no Drain Pan Heater)

Unit Size	Indoor Unit Model # / Dimensions (HxWxD) / Rated Cooling Capacity	Outdoor Unit Model # / Dimensions (HxWxD) / Rated Heating Capacity @ 47F	Efficiency Rating / 5F Heating Capacity / COP@5F	Lowest Sound Level (dB(A))		Weight (lbs)		AHRI #
				Indoor*	Outdoor	Indoor	Outdoor	
9,000	FTXV09AVJU* 11-1/4 x 30-5/16 x 8-3/4 9000	RXT09AVJU* 21-15/16 x 26-9/16 x 11-3/16 10900	21 SEER2 / 12.2 EER2 / 10.2 HSPF2 / 1.8 COP 10900	19	49	19	63	215441727
12,000	FTXV12AVJU* 11-1/4 x 30-5/16 x 8-3/4 10600	RXT12AVJU* 21-15/16 x 26-9/16 x 11-3/16 13500	20 SEER2 / 12 EER2 / 10.2 HSPF2 / 1.8 COP 13500	19	50	19	73	215710688
15,000	FTXV15AVJU* 11-5/8 x 39 x 10-3/8 15000	RXT15AVJU* 29-1/2 x 34-1/4 x 12-5/8 18300	21 SEER2 / 12.2 EER2 / 10.5 HSPF2 / 1.8 COP 18300	33	52	27	113	216618814
18,000	FTXV18AVJU* 11-5/8 x 39 x 10-3/8 18000	RXT18AVJU* 29-1/2 x 34-1/4 x 12-5/8 21600	21 SEER2 / 12 EER2 / 9.6 HSPF2 / 1.8 COP 21600	33	55	27	127	215389735
24,000	FTXV24AVJU* 11-5/8 x 39 x 10-3/8 22400	RXT24AVJU* 29-1/2 x 34-1/4 x 12-5/8 24000	21 SEER2 / 12 EER2 / 9.6 HSPF2 / 1.8 COP 24000	34	55	27	127	215389736

*When quiet operation is engaged



ENERGY STAR® and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. ENERGY STAR products are third party certified by an EPA-recognized Certification Body. Products that earn the ENERGY STAR prevent greenhouse gas emissions by meeting strict energy efficiency guidelines set by the U.S. Environmental Protection Agency.

These heat pump models meet the ENERGY STAR® cold climate requirements. Please refer to product engineering manuals for additional information or visit www.energystar.gov.

Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR criteria. Ask your contractor for details or visit www.energystar.gov.





WARNINGS:

- » Always use a licensed installer or contractor to install this product. Do not try to install the product yourself. Improper installation can result in water or refrigerant leakage, electrical shock, fire, or explosion.
- » Use only those parts and accessories supplied or specified by Daikin. Ask a licensed contractor to install those parts and accessories. Use of unauthorized parts and accessories or improper installation of parts and accessories can result in water or refrigerant leakage, electrical shock, fire, or explosion.
- » Read the Product Manual carefully before using this product. The Product Manuals provide important safety instructions and warnings. Be sure to follow these instructions and warnings.
- » For any inquiries, contact your local Daikin sales office.

App Store® is a registered trademark of Apple Inc.

Google Play and the Google Play logo are trademarks of Google LLC.

ADDITIONAL INFORMATION

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.

Our continuing commitment to quality products may mean a change in specifications without notice.

© 2026 DAIKIN COMFORT TECHNOLOGIES NORTH AMERICA, INC. · Houston, Texas · USA · www.daikincomfort.com

R32